




Options and accessories

Open cooling towers

Options and accessories

Below is a listing of the main FCT options and accessories. If your required option or accessory is not listed, look no further than your [local BAC representative](#).



High temperature execution package

For high temperature applications, replace critical components in high temperature alternatives.



Whisper Quiet fan

Reduce fan noise even more with **very low sound factory-tested fans**. Whisper quiet fans are only available on **specific FCT models**. Please contact your [local BAC representative](#) to check availability.



Electric water level control package

For **perfectly precise water level control**, replace the standard mechanical valve with our electrical water level controller.



Motor removal davit

For **easy removal or lifting** of fan motor.



External Ladder and Platform

A ladder and platform **facilitate access to the top of the unit** and safe inspection of your cooling tower.




Basin heater package

Thanks to our factory-installed heaters, the water stays at 4°C and **never freezes**, even during equipments downtime and however cold it gets outside.



Vibration cut out switch

When excessive vibration occurs, this switch shuts down the fan, ensuring your cooling equipment **operates safely**.



Sump sweeper piping

Sump sweeper piping **prevents sediment collecting in the cold water basin** of the unit. A complete piping system, including nozzles, is installed in the basin of the tower **for connection to side stream filtration** equipment.



Filter

Separators and media filters efficiently **remove suspended solids** in the recirculating water, reducing system cleaning costs and optimizing water treatment results. Filtration helps you keep the recirculating water clean.



Water treatment equipment

Devices to control water treatment are needed to ensure proper **cooling tower water care**. Not only does this help protect the components and fill pack, controlling corrosion, scaling and fouling, it also avoids the proliferation of harmful bacteria, including **legionella**, in the recirculating water.



Flanges

Flanges facilitate **pipng connections** on-site.